VII. *The Latitudes and Longitudes of several Places in* Den-
mark; *calculated from the Trigonometrical Operations. By*
Thomas Bugge, *F. R. S. Regius Professor of Astronomy at*
Copenhagen.

Read January 9, 1794.

THE geographical surveying of Denmark was begun in the
year 1762. The foundations of geographical maps are the tri-
gonometrical operations, or great triangles, whose bases were
measured with deal rods. The angles of the triangles were ob-
served with a circular instrument of 1 foot radius; the divi-
sions of this instrument are double, in 90 and 96 degrees.
With this instrument the angles may be observed to a less
error than 8″, and the sum of all the angles in every triangle
very seldom have had a difference of 15″ from 180 degrees.
For this reason the bases, measured at several places in Seland
and Jutland, have very well agreed with the corresponding
sides, computed through a long series of triangles, begun from
the observatory at Copenhagen. I believe that a distance,
found by those trigonometrical operations, is to be depended
upon to $\frac{1}{20000}$th part of the whole. I beg leave to observe,
that the Danish astronomers and geographers, for 31 years,
have been before hand in making use of circular instruments,
which now begin to be of a more general use in astronomical
and geographical observations. The royal observatory at
Copenhagen has, since the year 1781, been adorned with a

circular instrument of 4 feet radius, which, at least at that time, was the only circular instrument of that size.

By the trigonometrical operations, the meridian of Copen-hagen, and of several other places, and a perpendicular to the meridian of the observatory, are drawn. The special position of villages, farms, and cottages, the situation of the coast, woods, rivers, ponds, moors, roads, are laid down by the plain table, on a scale of 2000 Danish or Rhenish feet to one decimal inch. After a reduction to $\frac{1}{6}$th part, to a scale of 1 Danish mile to 2 inches, we have published 9 geographical maps, which, as well for the geometrical exactness, as for the beauty of engraving, seem not to be unworthy of the approbation of foreigners.

I have described the instruments, and the methods of our geometrical surveying, and of the trigonometrical operations, in a treatise published in the Danish language at Copen-hagen 1779, and translated into the German by Major ASTER at Dresden, 1787. In this paper I only shall lay before the Royal Society a new method of computing the longitude and the latitude of places, laid down by trigonometrical opera-tions.

Let EAIH (Tab. VIII.) be an ellipsis; EH half the less axis; IH half the greater axis; A the observatory at Copenhagen; AV its vertical line; the angle V the complement to the lati-tude of the observatory. Then by the nature of the ellipsis,

$$AV = \frac{HI^2}{(HI^2 \sin.^2 V + HE^2 \cos.^2 V)^{\frac{1}{2}}}.$$ AN is a great circle, perpen-dicular to the meridian of Copenhagen. The tangent to the same meridian $AF = AV \times \text{tang. } V$. A $m\ n\ o\ p \ldots$ D is a series of triangles in the direction of the parallel of Copenha-gen. $g\ t\ u\ r\ x \ldots$ G is a series of triangles in the direction of

the meridian GDE of a place G, whose longitude and latitude are to be calculated. For the first series of triangles may be taken the parallel, divided into small parts AB = BC = CD; and for the second series may be taken the meridian GD; because the arches of those circles are known by the triangles, and computed from the trigonometrical operations. FAGD in the 1st. fig. is laid down in fig. 2 upon a plane. The angles a, b, c, d, are equal to the angles A, B, C, D. The lines $af, bf, cf, gdf,$ are equal to AF, BF, CF, GDF, touching the meridians AE, BE, CE, GDE in A, B, C, D. The angle $dfa =$ DFA = AFB + BFC + CFD. For the place g, or G, are given the distance from the meridian of Copenhagen $= gk$, and the distance from the perpendicular $= ak$, and $af =$ AF $=$ AV $\times$ tang. V. In the case that g is more southerly than an, then $fk = af + ak$. If the place is northerly, then $fk = af - ak$. Hence tang. $dfa = \frac{gk}{fk}$. The complement to the angle dfa is the angle $fna = fgk$, which the meridian gdf makes with the perpendicular to the meridian of Copenhagen. Now DEA : DFA = AF : AM = tang. V : sin. V; therefore *the longitude of the place* G *from the meridian of Copenhagen* $=$ DEA = DFA $\times \frac{\text{tang. V}}{\text{sin. V}} = \frac{\text{DFA}}{\text{cos. V}}$.

Again, $gf = \frac{gk}{\text{sin. } afd} = \frac{fk}{\text{sin. } g}$. If the place g is more southerly than the perpendicular an, then $dg = gf - fd = gf - af$; if more northerly than an, in that case $dg = af - fg$. From hence *the latitude of the place* g *may be found.*

The following Table contains the latitudes of towns and places, with their longitudes from the royal observatory at Copenhagen, calculated from our trigonometrical operations.

Names of Places.	Sea or Country.	Latitude.	Longitude.			
			In Degrees.	In Time.		
		° ′ ″	° ′ ″	h ′ ″		
Landscrone - -	Sweden -	55 52 23	0 15 16	0 1 0,5	E.	
Hveen (church) -	—— ——	55 54 38	0 5 56	0 0 23,75	E.	
Kullen (light-house) -	—— ——	56 18 3	0 7 58	0 0 31,75	W.	
Frankeklint (cape) -	Langeland	55 9 44	1 38 47	0 6 35	W.	
Kongsberg (cape) - -	Möen -	54 58 3	0 4 12	0 0 16,75	W.	
Sproe (isle) - -	Belt -	55 19 56	1 37 0	0 6 35,25	W.	
Copenhagen (observatory) -	Seland -	55 41 4	0 0 0	0 0 0		
Roeskilde (cathedral) -	—— ——	55 38 25	0 29 48	0 1 59,75	W.	
Holbek (church) - -	—— ——	55 43 2	2 51 26	0 3 25,75	W.	
Kallundborg (church) -	—— ——	55 40 54	1 29 12	0 5 56,75	W.	
Korsör (light-house) -	—— ——	55 20 22	1 27 0	0 5 48	W.	
Nestved (church) - -	—— ——	55 13 55	0 49 12	0 3 16,75	W.	
Wordingborg (tower) -	—— ——	55 0 32	0 40 4	0 2 40,25	W.	
Ringsted (church) -	—— ——	55 26 51	0 47 20	0 3 9,25	W.	
Skagen (light-house) -	North Jutland	57 43 44	1 57 55	0 7 51,7	W.	
Hiöring (church) -	—— ——	57 27 44	2 35 17	0 10 21,1	W.	
Fladstrand (church) -	—— ——	57 27 3	2 2 15	0 8 9,0	W.	
Sæbye (church) -	—— ——	57 20 2	2 2 36	0 8 10,5	W.	
Aalborg (St. Budolph) -	—— ——	57 2 57	2 39 4	0 10 36,3	W.	
Nibe (church) -	—— ——	56 59 4	2 55 54	0 11 43,6	W.	
Grenaae (church) -	—— ——	56 24 57	1 41 49	0 6 47,3	W.	
Randers (highest steeple) -	—— ——	56 27 48	2 32 3	0 10 8,2	W.	
Viborg (cathedral) -	—— ——	57 27 11	3 9 25	0 12 37,7	W.	
Aarhuus (cathedral) -	—— ——	56 9 35	2 21 40	0 9 26,6	W.	
Ribe (cathedral) -	—— ——	55 19 57	3 48 25	0 15 13,7	W.	
Hadersleben (church) -	South Jutland	55 15 15	3 4 56	0 12 19,7	W.	
Norborg (highest steeple) -	or Schleswig	55 3 53	2 49 53	0 11 19,6	W.	
Apenrade (St. Nicolas) -	—— ——	55 2 57	3 9 7	0 12 36,9	W.	
Tondern (Christ.) -	—— ——	54 56 30	3 41 53	0 14 47,5	W.	
Sönderborg (St. Mary) -	—— ——	54 54 59	2 47 1	0 11 8,1	W.	
Flensborg (highest steeple) -	—— ——	54 47 18	3 8 5	0 12 32,3	W.	
Husum (church) -	—— ——	54 28 29	3 31 3	0 14 4,2	W.	
Gluckstad (highest steeple)	Holstein -	53 47 44	3 8 43	0 12 34,8	W.	
Hesselöe (isle) - -	Kattegat -	56 11 46	0 51 44	0 3 27	W.	
Anholt (light-house) -	—— ——	56 44 20	0 55 24	0 3 41,5	W.	

In all the best maps of the Kattegat, as that by Mr. Lous, published at Copenhagen, 1790, that by M. Verdun de la Crenne, M. Borda, and M. Pingre', Paris, 1778, that by Mr. Akeleie, Copenhagen, 1771, that by Mr. Ankerkrona,

Fig. 1.

Fig. 2.

Stokholm, 1782, the position of Anholt is very erroneous. *The light-house of Anholt, and the whole isle, is from 7 to 9 minutes too much westerly; and the distance from the light-house to the Swedish coast, in a direction perpendicular to the meridian of the light-house is, in all maps hitherto published, nearly 4 English miles, or $\frac{1}{8}$th part of the whole too great.* Experience has taught the navigators, that they come too soon down upon Anholt; or that they, cruising between Anholt and Sweden, overrun their reckoning, which was ascribed to the currents; although the true reason of it was the great error in the geographical and hydrographical position of Anholt in a narrow and dangerous passage.